



ARTICLE ID: BTS0626003

MINDS IN MOTION: ADVANCES IN CHILD NEURODEVELOPMENT AND MENTAL HEALTH

Vidya P

KVSR Siddhartha College of Pharmaceutical Sciences, Vijayawada, Andhra Pradesh, India.

Corresponding Mail ID: perlividya8@gmail.com

RECEIVED: 31 August 2025| **REVISED & ACCEPTED:** 07 November 2025

KEYWORDS: Child Neurodevelopment, Mental Health, Early Intervention, Digital Therapeutics, Resilience.

ABSTRACT:

Minds in Motion: Progress in Child Neurodevelopment and Mental Health examines the fast-changing knowledge base of how biological, environmental, and psychosocial processes influence children's brain development and mental health. Early childhood is a high-risk/high-reward period when neural plasticity is highest, and early interventions are most likely to shape long-term cognitive, emotional, and social functioning. Breakthroughs in neuroscience, genetics, and developmental psychology have revealed intricate interactions between genes and the environment that show how diet, stress, childcare, and socio-economic environments shape brain structure. In addition, new diagnostic technologies, including neuroimaging and digital behavioral measures, are facilitating earlier detection of developmental delays and mental disorders. Preventive measures, such as school-based intervention, parental education, and community-based support programs, are being identified as equally important as medical interventions in promoting resilience and well-being. New-generation therapies—from behavioral and cognitive to technology-based solutions such as digital therapeutics and AI-monitored care—hold potential for tailoring care. Just as critical are policy environments that make developmental and mental health services accessible and equitable in low-resource contexts. By combining scientific understanding with real-world interventions, this discipline is shaping the way that societies cultivate children's minds and help them succeed academically, emotionally, and socially. This integration points to current successes and future challenges in promoting comprehensive child development and mental health in diverse populations.

INTRODUCTION:

1.1 Significance of Child Neurodevelopment and Mental Health

Child neurodevelopment is an important area of research because it sets the stage for cognitive, emotional, and social functioning throughout life. Early childhood in a child's life is a time of rapid brain growth, in which neural connections are established and refined. It is a critical time for the development of the


architecture of the brain, which will impact subsequent learning, behaviour, and mental health.^[0] It is equally vital to promote mental health during childhood because it not only impacts the individual child but also his/her communities and families. Early mental health problems can have long-term effects, such as difficulties in school, social problems, and psychiatric disorders in adolescence and adulthood.^[0] Hence, it is crucial to comprehend the

ARTICLE ID: BTS0626003

interaction between neurodevelopment and mental health for healthy development and prevention of mental health conditions.

1.2 Scope and Aims of the Study

The aim of this research is to discuss the developments in knowledge regarding child neurodevelopment and mental health, specifically the determinants of these topics. This involves discussing the biological, environmental, and social determinants of mental health and neurodevelopment and determining the most effective interventions and strategies for inducing positive change in children.^[0] The research is intended to give an exhaustive summary of the existing research sphere, and key findings and practice, policy, and future research directions.^[0] As highlighted in Picture 1, achieving healthy child development is a stepwise process that begins with rapid brain growth and extends to future research directions, ensuring holistic progress in both neurodevelopment and mental health.



Picture 1: Key Steps to Achieving Healthy Child Development

2. CORNERSTONES OF NEURODEVELOPMENT

2.1 Brain Structure and Neural Plasticity during Childhood

Brain structure is influenced by both genetic and environmental influences, with neural plasticity playing an essential role within this process. Neural plasticity has been defined as the capacity of the brain to reorganize itself by creating a new neural pathway throughout life, especially during critical developmental periods.^[0] It has been research-proven that the experiences early in childhood, such as the exposure to healthy environments or to traumatic experiences, can heavily influence brain structure and function.^[0] For example, research has established that positive parenting behavior is linked with better brain development while a history of adverse childhood experience (ACEs) may result in brain structural and functional alterations.^[0]

2.2 Genetic and Epigenetic Influences

Genetic influences are an important determinant of child neurodevelopment, contributing to variation in brain structure and function. Epigenetic processes—transient changes in gene expression that do not affect the DNA sequence itself—also have a profound influence on neurodevelopment.^[0] Epigenetic changes are affected by environmental influences, including nutrition, stress, and toxins, with the potential for long-term implications for a child's development and mental health.^[0] Knowledge of these genetic and epigenetic influences is essential to the development of targeted interventions to promote healthy neurodevelopment.

2.3 Nutrition, Sleep, and the Environment

Nutrition, sleep, and the environment are all key parts of child neurodevelopment and mental health. Proper nutrition is vital for brain growth, and deficiencies in essential nutrients have been correlated



ARTICLE ID: BTS0626003

with delays in cognition and mental illness.^[0] Sleep is also important, as this is when the brain processes learning and memory. Low-quality sleep and too little sleep can worsen cognitive function and emotional control.^[0] Additionally, the home environment in which a child is

raised—is family life, socio-economic status, and community resources—are also strong determinants of their neurodevelopment and mental health status.^[0] Table 1 provides an overview of the core factors shaping childhood brain and behavior.

TABLE 1: CORE FACTORS SHAPING CHILDHOOD BRAIN AND BEHAVIOR

ASPECT OF NEURODEVELOPMENT	CORE INSIGHTS
Brain Structure & Neural Plasticity	Brain shaped by genetic and environmental factors. Neural plasticity: ability of the brain to reorganize pathways, strongest in childhood. Early experiences (positive vs. traumatic) strongly influence brain structure and function. Positive parenting → supports healthy brain development. Adverse Childhood Experiences (ACEs) → structural and functional changes.
Genetic & Epigenetic Regulation	Genetics determines variations in brain structure and function. Epigenetic mechanisms: gene expression changes without DNA sequence alteration. Influenced by environment (nutrition, stress, toxins). Long-term effects on neurodevelopment & mental health. Insights guide targeted interventions .
Lifestyle & Environmental Factors	Nutrition: Crucial for brain growth; deficiencies linked with cognitive and mental health issues. Sleep: Essential for learning and memory; poor sleep → reduced cognition & emotional regulation. Environment: Family life, socio-economic status, and community resources shape neurodevelopment and mental health.

3. EARLY CHALLENGES AND RISK FACTORS

3.1 Effect of Stress, Trauma, and Adverse Childhood Experiences

Trauma and stress are important risk factors for child mental health and neurodevelopment. Adverse childhood experiences (ACEs), including abuse, neglect, and family dysfunction, have been

found to exert long-term influences on brain development and contribute to a host of mental disorders.^[0] Studies have found that children exposed to high amounts of stress or trauma are at higher risk for the development of anxiety, depression, and behavioral difficulties. Familiarity with the mechanisms by which stress and trauma affect development is key to the



ARTICLE ID: BTS0626003

development of effective prevention and intervention strategies.^[0]

3.2 Developmental Delays and Learning Disorders

Developmental delays and learning disorders are prevalent problems for children, which are usually associated with a combination of genetic, environmental, and social variables. Identification of delays during early ages and intervention are very important to enhance outcomes in children with developmental delays.^[0] Evidences suggest that carefully targeted interventions have the potential to significantly improve developmental pathways and reduce the effect of delays on academic and social functioning.^[0]

3.3 Impact of Socio-Economic Disparities

Socio-economic inequality significantly contributes to child neurodevelopment and

mental health. Low-income children are in greater likelihood of developing adverse conditions that affect their development adversely, such as limited quality healthcare, education, and nurturing environments.^[0] To address these inequalities is to further promote equal outcomes in child neurodevelopment and mental well-being. Interventions aimed at socio-economic indicators, including availability of resources and support systems, are available to counteract the impact of poverty on child development.^[0] These interrelated factors significantly influence child mental health and cognitive development. A summary of the key risk factors, their implications, and recommended interventions is presented in Table 2.

TABLE 2: DETERMINANTS OF CHILD MENTAL HEALTH AND COGNITIVE DEVELOPMENT

Domain	Overview	Recommendations
Stress, Trauma, and Adverse Childhood Experiences	Trauma and stress are important risk factors for child mental health and neurodevelopment. ACEs (abuse, neglect, family dysfunction) exert long-term influence on brain development and increase risk of mental disorders.	Understanding mechanisms of stress and trauma is essential for effective prevention and intervention strategies.
Developmental Delays and Learning Disorders	Developmental delays and learning disorders often arise from a combination of genetic, environmental, and social factors. Early identification and intervention are crucial.	Targeted interventions can improve developmental pathways, academic performance, and social functioning.
Socio-Economic Disparities	Socio-economic inequality contributes significantly to adverse child neurodevelopment and mental health outcomes. Low-income children have limited access to healthcare, education, and nurturing environments.	Interventions targeting socio-economic indicators, resource availability, and support systems can mitigate the negative impact of poverty on development.



ARTICLE ID: BTS0626003

4. NEW DEVELOPMENTS IN DIAGNOSIS AND EVALUATION

4.1 Neuroimaging and Neurophysiological Instruments

Neuroimaging technology, including MRI and fMRI, has transformed knowledge of child neurodevelopment by enabling researchers to visualize brain structure and function in real-time. These technologies enable one to detect abnormalities in brain development linked with different mental health disorders, shedding light into neurobiological mechanisms of conditions such as ADHD, autism, and anxiety disorders. For example, research has identified that children with ADHD tend to have variations in brain structure and connectivity compared to children without ADHD.^[0] For example, research has revealed that children with ADHD tend to have altered brain structure and connectivity with their healthy counterparts.

Neurophysiological equipment, such as EEG, can quantify electrical activity in the brain, providing on-line measures of cognitive processes and emotional reactions. This can be especially helpful when evaluating how children react to various stimuli, which is important for determining emotional and behavioral regulation.


4.2 Digital and AI-Based Behavioral Assessments

The use of computer technologies and artificial intelligence (AI) in behavioral measurements has created new opportunities for early identification and intervention of child mental health. AI-based instruments are capable of processing large volumes of data from multiple sources, such as social media usage and online interactions, to recognize

patterns related to mental illness. For instance, machine learning algorithms have been designed to identify symptoms of anxiety and depression from digital behavioral data with greater accuracy than conventional self-report. These advances not only improve the validity of evaluations but also allow for interventions to be instituted in a timely manner, which is essential in child mental health treatment.

4.3 Early Screening in Schools and Healthcare Settings

Early assessment for mental health problems in schools and clinics is critical to enable timely intervention. Screening programs that use standardized measures, like the Strengths and Difficulties Questionnaire (SDQ), have been found to be effective in the identification of children at risk for mental disorder.^[0] Schools are an important point of entry for mental health care, and thus the early detection of problems in a child's life can occur. Screening for mental health as part of regular checkups can help ensure children receive the support they need early enough to prevent later problems. As shown in Picture 2, advancements such as neuroimaging, neurophysiological instruments, AI-based assessments, and early screening programs are transforming the way child mental health is diagnosed and managed.



Picture 2: Innovative Tools for Advancing Child Mental Health Diagnosis

5. INTERVENTION STRATEGIES

5.1 Behavioural and Cognitive Therapies

Behavioral and cognitive treatments, especially Cognitive Behavioral Therapy (CBT), have been generally accepted as helpful interventions for multiple mental health disorders in children. CBT aims at changing adverse patterns of thinking and behavior, which can effectively reduce symptoms of anxiety, depression, and ADHD. It is found through research that early intervention with CBT can promote improved long-term outcomes in children, making it an essential foundation of mental health care. Modifications of CBT, including Trauma-Focused CBT, have also been created to treat certain issues regarding trauma and adverse childhood experiences.^[0]

5.2 Family-Centered and School-Based Programs

ARTICLE ID: BTS0626003

Parent and caregiver involvement in treatment through family-centered interventions has been promising in enhancing child mental health results. Parent education on how to become effective parents and support in managing children's behavioral problems can strengthen family relationships and lower stress levels. School-based mental health programs incorporating mental health services into the school setting are also successful. These programs can give kids a quick fix in a comfortable location, and it is simpler for them to get the help they need.^[0]

5.3 Non-Pharmacological and Pharmacological Interventions

Although pharmacologic interventions may be beneficial for some disorders, increasing interest lies in non-pharmacologic interventions, especially in young children. Non-pharmacologic interventions, like mindfulness, art therapy, and play therapy, improve emotion regulation and alleviate symptoms of depression and anxiety. The integration of pharmacological and non-pharmacological approaches can offer an integrative treatment strategy addressing both the biological and psychological bases of mental health. These targeted approaches provide a structured framework for addressing diverse developmental needs, as summarized in Table 3.

TABLE 3: INTERVENTION STRATEGIES FOR PROMOTING CHILD MENTAL HEALTH

INTERVENTION TYPE	OVERVIEW	IMPACT	IMPLEMENTATION EXAMPLES
-------------------	----------	--------	-------------------------



ARTICLE ID: BTS0626003

Behavioral and Cognitive Therapies	Focuses on changing adverse patterns of thinking and behavior. CBT is widely used for various mental health disorders.	Reduces symptoms of anxiety, depression, ADHD; promotes improved long-term outcomes.	Cognitive Behavioral Therapy (CBT), Trauma-Focused CBT
Family-Centered and School-Based Programs	Involves parents, caregivers, and school systems in interventions.	Enhances child mental health outcomes; strengthens family relationships; lowers stress; improves access to care in familiar settings.	Parent education, family-centered therapy, school-based mental health programs
Non-Pharmacological and Pharmacological Interventions	Combines medication and alternative therapies. Emphasis on non-pharmacologic approaches, especially for young children.	Improves emotion regulation; alleviates depression and anxiety; addresses both biological and psychological aspects.	Mindfulness, art therapy, play therapy, pharmacological treatments when needed

6. NEW TECHNOLOGIES IN CARE

6.1 Digital Therapeutics and Telehealth

Digital therapeutics such as mobile health applications and online therapy websites have become widespread in mental health treatment. They are convenient and flexible means of receiving treatment, enabling children and families to access mental health resources from their homes. Telehealth also increased access to care, specifically among underserved populations, so that children can seek support in a timely manner without the obstacles of traveling or stigma related to face-to-face visits.^[0]

6.2 Virtual Reality and Gamified Interventions

Virtual reality (VR) and gamified interventions are coming forward as new


ways of involving children in mental health therapy. These technologies have the potential to generate immersive settings that allow for exposure therapy for disorders of anxiety or interactive platforms for skill acquisition. Studies show that VR has the ability to increase engagement and motivation within therapy, and as such is an effective method for engaging younger demographics.^[0]

6.3 AI-Aided Monitoring and Personalized Therapy

AI-based monitoring tools can offer real-time feedback regarding the mental health of a child, enabling personalized treatment plans that are tailored to suit the child's requirements. Such tools can also analyze information from different sources like wearable devices and digital behavior to detect changes in mood or behavior. Customized treatment strategies using AI

ARTICLE ID: BTS0626003

can boost the efficacy of interventions through tailored interventions based on the unique child's situation and reaction.^[0] As illustrated in Picture 3, innovative approaches such as digital therapeutics, telehealth, virtual reality, and AI monitoring are reshaping mental health care by improving accessibility, engagement, and personalized treatment for children.



Picture 3: Emerging Technologies Transforming Child Mental Health Care

7. POLICY AND PUBLIC HEALTH PERSPECTIVES

7.1 Incorporating Neurodevelopment into Primary Healthcare

Neurodevelopmental integration in primary healthcare is needed to ensure that children's overall needs are addressed. This is achieved by training healthcare providers to identify and act on neurodevelopmental problems early in a child's life. With neurodevelopmental assessments integrated into regular healthcare visits, practitioners can spot delays or disorders and intervene appropriately in a timely manner. Studies have shown that early detection and intervention can markedly enhance the outcome of neurodevelopmental disorders, like autism spectrum disorder (ASD) and

attention-deficit/hyperactivity disorder (ADHD), in children.^[0] Interdisciplinary cooperation among paediatricians, psychologists, and educators through policies that facilitate this can increase the efficiency of these interventions, such that the child will be able to receive full care suited to his or her developmental needs.

7.2 Redressing Inequalities in Access to Services


Mental health disparities in the access of children to services are an urgent matter, especially among vulnerable populations. Socio-economic status, location, and systemic discrimination can be barriers to receiving the care needed.^[0] To meet these discrepancies, policies should aim at increasing access to mental health interventions in the form of community-based initiatives, telehealth, and culturally responsive care. Strategies involving the engagement of families and communities in service planning and provision can also ensure that interventions are relevant and effective.^[0]

7.3 International Initiatives and Agreements Regarding Child Mental Health

International efforts to promote improved child mental health are important to bring about a concerted action on challenges to children's well-being globally. Plans like the WHO's Mental Health Action Plan highlight the need to integrate mental health into all areas of health and social policy.^[0] Multilateral collaboration between nations to exchange best practices, resources, and evidence can improve intervention effectiveness and strengthen mental health equity. An example is the Global Partnership for Children and Youth in Mental Health, which seeks to mobilize resources and

ARTICLE ID: BTS0626003

advocacy for initiatives on children and adolescents' mental health.^[0] As shown in Picture 4, improving child mental health requires a continuous cycle of strategies including international collaboration, addressing inequalities, integrating neurodevelopment, early detection, and fostering interdisciplinary cooperation.



Picture 4: Key Strategies for Enhancing Child Mental Health

8. FUTURE DIRECTIONS AND CHALLENGES

8.1 Closing Gaps Between Practice and Research

One of the overriding issues for child mental health is closing the gap between research evidence and clinical practice. While there has been a vast amount of knowledge created through research, practitioners are often unable to apply an evidence-based intervention in their daily practice.^[0] To combat this, consistent training and accompaniment of healthcare professionals are key. Creating workable guidelines and tools that bridge research and actionable strategy can empower

practitioners to utilize evidence-based practice successfully.^[0]

8.2 Ethical Issues in Child Neuroscience

As neuroscience and technology improve further, ethical concerns about how they are applied in the field of child mental health become even more central. Problems of informed consent, coercion potential, and the consequences of applying neurotechnologies need to be addressed carefully.^[0] Development of ethical frameworks that value the welfare and agency of children is essential. Involving stakeholders such as families and children in deliberations regarding the ethical impacts of emerging technologies ensures their perspectives are considered and valued.^[0]

8.3 Creating Resilient Child Well-Being Systems

Creating child well-being-supported resilient systems is a multi-step process. This involves developing cooperation between different sectors, including education, health care, and social services, to form an integrated support system for families and children.^[0] Investing in community programs that enhance mental health awareness, resilience, and coping skills can enable children and families to better cope with adversity. Policies that give high priority to mental health at school and in community settings can also build supportive environments for healthy growth.^[0] The evolving priorities and obstacles shaping this field are outlined in Table 4.

TABLE 4 : FUTURE DIRECTIONS AND CHALLENGES IN CHILD MENTAL HEALTH AND WELL-BEING

FOCUS AREA	OVERVIEW	RECOMMENDATIONS	IMPLICATIONS
Closing	Significant gap exists	Provide consistent	Enhances translation



ARTICLE ID: BTS0626003

Gaps Between Practice and Research	between research evidence and clinical application in child mental health.	training, develop actionable guidelines and tools, support practitioners in implementing evidence-based interventions.	of research into practice, improves treatment outcomes for children.
Ethical Issues in Child Neuroscience	Advances in neuroscience and technology raise ethical concerns, including informed consent, coercion, and impact of neurotechnologies.	Develop ethical frameworks, involve families and children in decision-making, prioritize child welfare and agency.	Ensures responsible and ethical application of new technologies in child mental health.
Creating Resilient Child Well-Being Systems	Building integrated support systems across education, health care, and social services to promote child well-being.	Invest in community programs, mental health awareness, resilience training, and school-based policies.	Strengthens children's coping abilities, fosters supportive environments, and enhances long-term mental health outcomes.

CONCLUSION

Minds in Motion: Advances in Child Neurodevelopment and Mental Health reinforces the dynamic interaction between biological, environmental, and psychosocial factors that shape children's development. The book draws attention to the significance of early interventions to illustrate how the critical periods of neural plasticity can be utilized to foster cognitive, emotional, and social well-being. Brain growth, genetics, and developmental psychology advances offer robust insights that underpin prevention, diagnosis, and therapeutic approaches. Combined, these viewpoints create a balanced picture of child development, providing the foundation for healthier futures and healthy mental resilience throughout life.

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to Dr. Triveni Rajagiri, Assistant Professor, Department of Pharmacy Practice, for her valuable guidance and encouragement throughout this work. I also extend my heartfelt thanks to the Principal and Management of KVSRR Siddhartha College of Pharmaceutical Sciences for their continuous support.

REFERENCE:

- 1 Michael C, Gard AM, Tillem S, Hardi FA, Dunn EC, Smith ADC, et al. Developmental timing of associations among parenting, brain architecture, and mental health. *JAMA Pediatr.* 2024 Oct 28. <https://doi.org/10.1001/jamapediatrics.2024.4376>
- 2 Stewart-Brown SL, Schrader-McMillan A. Parenting for mental health: what does the evidence say we need to do? Report of Workpackage 2 of the DataPrev project.



ARTICLE ID: BTS0626003

Health Promot Int. 2011 Nov;26(Suppl 1):i10–28.

<https://doi.org/10.1093/heapro/dar056>

3 Lavallée A, Pang L, Warmingham JM, Atwood GD, Ahmed I, Lanoff MR, et al. Dyadic parent/caregiver-infant interventions initiated in the first 6 months of life to support early relational health: a meta-analysis. *medRxiv.* 2022 Oct 29. <https://doi.org/10.1101/2022.10.29.22281681>

4 Davis EP, Glynn LM. Annual research review: the power of predictability – patterns of signals in early life shape neurodevelopment and mental health trajectories. *J Child Psychol Psychiatry.* 2024 Feb 20;65(4):508–34. <https://doi.org/10.1111/jcpp.13958>

5 Jaffee SR. Commentary on the power of predictability: patterns of signals in early life shape neurodevelopment and mental health trajectories. *J Child Psychol Psychiatry.* 2024 Mar;65(4):535–7. <https://doi.org/10.1111/jcpp.13971>

6 Paricio-Del-Castillo R. Integration of perinatal mental health into maternal and child care: progress and challenges from the WHO perspective. *Eur J Ment Health.* 2024;19:1–7.

<https://doi.org/10.5708/ejmh.19.2024.0032>

7 Lobo E, RD, Mandal S, Menon JS, Roy A, Dixit S, et al. Protocol of the Nutritional, Psychosocial, and Environmental Determinants of Neurodevelopment and Child Mental Health (COINCIDE) study. *Wellcome Open Res.* 2024 Nov 22;9:486. <https://doi.org/10.12688/wellcomeopenres.22817.2>

8 De Groot R, Van Der Graaff F, Van Der Doelen D, Luijten M, De Meyer R, Alrouh H, et al. Implementing Findable, Accessible, Interoperable, Reusable (FAIR) principles in child and adolescent mental health research: mixed methods

approach. *JMIR Ment Health.* 2024 Dec 19;11:e59113.

<https://doi.org/10.2196/59113>

9 Pickles A, Edwards D, Horvath L, Emsley R. Advances in methods for evaluating child and adolescent mental health interventions. *J Child Psychol Psychiatry.* 2023 Oct;64(12):1765–75. <https://doi.org/10.1111/jcpp.13892>

10 Baum GL, Cui Z, Roalf DR, Ciric R, Betzel RF, Larsen B, et al. Development of structure–function coupling in human brain networks during youth. *Proc Natl Acad Sci USA.* 2019 Dec 24;117(1):771–8. <https://doi.org/10.1073/pnas.1912034117>

11 Frost DO, Page SC, Carroll C, Kolb B. Early exposure to haloperidol or olanzapine induces long-term alterations of dendritic form. *Synapse.* 2009 Oct 26;64(3):191–9.

<https://doi.org/10.1002/syn.20715>

12 López LJA. Neuroscience of music: impact of musical stimulation on brain plasticity and education. *Deleted J.* 2024 Dec 30;3:578.

<https://doi.org/10.56294/mw2024578>

13 Puetz VB, Viding E, Maguire EA, Mechelli A, Armbruster-Genç D, Sharp M, et al. Functional brain plasticity following childhood maltreatment: a longitudinal fMRI investigation of autobiographical memory processing. *Dev Psychopathol.* 2021 Dec 20;35(3):1382–9. <https://doi.org/10.1017/s0954579421001292>

14 Garg E, Chen L, Nguyen TTT, Pokhvisneva I, Chen LM, Unternaehrer E, et al. The early care environment and DNA methylome variation in childhood. *Dev Psychopathol.* 2018 Aug;30(3):891–903. <https://doi.org/10.1017/s0954579418000627>

15 Thijssen S. More than a learning environment: school climate as a protective factor for child



ARTICLE ID: BTS0626003

- neurodevelopment and mental health? *Biol Psychiatry Cogn Neurosci Neuroimaging*. 2023 Jan;8(1):6–8. <https://doi.org/10.1016/j.bpsc.2022.10.002>
- 16 Cánepa ET, Berardino BG. Epigenetic mechanisms linking early-life adversities and mental health. *Biochem J*. 2024 May 9;481(10):615–42. <https://doi.org/10.1042/bcj20230306>
- 17 Bekdash RA. Epigenetics, nutrition, and the brain: improving mental health through diet. *Int J Mol Sci*. 2024 Apr 4;25(7):4036. <https://doi.org/10.3390/ijms25074036>
- 18 Anderson KN, Bowles R, Fyfe C, Weddle R, Keown P. Development and evaluation of a personalised sleep care plan on child and adolescent in-patient mental health wards. *BJPsych Bull*. 2024 May 20;1–5. <https://doi.org/10.1192/bjb.2024.41>
- 19 Rauh VA, Margolis AE. Environmental exposures, neurodevelopment, and child mental health – new paradigms for the study of brain and behavioral effects. *J Child Psychol Psychiatry*. 2016 Mar 14;57(7):775–93. <https://doi.org/10.1111/jcpp.12537>
- 20 Wolf RT, Jeppesen P, Gyrd-Hansen D, Oxholm AS. Evaluation of a screening algorithm using the Strengths and Difficulties Questionnaire to identify children with mental health problems: a five-year register-based follow-up on school performance and healthcare use. *PLoS ONE*. 2019 Oct 23;14(10):e0223314. <https://doi.org/10.1371/journal.pone.0223314>
- 21 Adeyemo IR, Adeyoyin O, Ukagwu CA, Ibrahim-Ojoawo A, Asiedu LA. Efficacy of cognitive behavioral therapy compared to other evidence-based mental health interventions in children and adolescents with symptoms of childhood adversities: a scoping review. *Asian J Adv Res Rep*. 2025 Jun 21;19(6):255–69. <https://doi.org/10.9734/ajarr/2025/v19i61057>
- 22 Kerna NA, Pruitt KD, Carsrud NDV, Ngwu DC, Holets HM, Flores JV, et al. Maternal perinatal-provoked psychological disorders: adverse impact on school-age children, neurodevelopment, education, and intervention strategies. *Eur J Contemp Educ E-Learn*. 2024 Jan;2(1):208–22. [https://doi.org/10.59324/ejceel.2024.2\(1\).17](https://doi.org/10.59324/ejceel.2024.2(1).17)
- 23 Boulton KA, Hilton M, Sutton E, Guastella AJ. Apps and digital resources for child neurodevelopment, mental health, and well-being: review, evaluation, and reflection on current resources. *J Med Internet Res*. 2025 Jan;27:e58693. <https://doi.org/10.2196/58693>
- 24 Huang KY, Nakigudde J, Christine T, Cheng S, Muyomba D, Mugisa ET, et al. Implementing a digital child behavioral health prevention program in faith-based settings in Uganda: a feasibility study. *Med Res Arch*. 2024 Jan;12(10). <https://doi.org/10.18103/mra.v12i10.5926>
- 25 Budiasto J. AI-driven mental health assessment: evaluating the efficacy of machine learning in detecting depression and anxiety from digital behavioral data. *Riwayat Educ J Hist Humanit*. 2025 Apr 14;8(2):1407–17. <https://doi.org/10.24815/jr.v8i2.45375>
- 26 Panisi C, Guerini FR, Abruzzo PM, Balzola F, Biava PM, Bolotta A, et al. Autism spectrum disorder from the womb to adulthood: suggestions for a paradigm shift. *J Pers Med*. 2021 Jan 25;11(2):70. <https://doi.org/10.3390/jpm11020070>
- 27 Adams S, Komene E, Wensley C, Davis J, Carryer J. Integrating nurse practitioners into primary healthcare to advance health equity through a social justice lens: an integrative review. *J Adv*



ARTICLE ID: BTS0626003

Nurs. 2024 Feb 6;80(10):3899–914.

<https://doi.org/10.1111/jan.16093>

28 Karlsen L, Mjølstad BP, Løfaldli BB, Helvik AS. Reflections of nurses and primary healthcare managers on integrating hospital at home into public primary healthcare services: a Norwegian focus group study. *Scand J Prim Health Care.* 2024 Jul 2;42(4):633–42. <https://doi.org/10.1080/02813432.2024.2373310>

29 Corso M, DeSouza A, Brunton G, Yu H, Cancelliere C, Mior S, et al. Integrating Indigenous healing practices within collaborative care models in primary healthcare in Canada: a rapid scoping review. *BMJ Open.* 2022 Jun 1;12(6):e059323.

<https://doi.org/10.1136/bmjopen-2021-059323>

30 Ijiga NAC, Enyejo NLA, Odeyemi NMO, Olatunde NTI, Olajide NFI, Daniel NAO. Integrating community-based partnerships for enhanced health outcomes: a collaborative model with healthcare providers, clinics, and pharmacies across the USA. *Open Access Res J Biol Pharm.* 2024 Mar 30;10(2):081–104.

<https://doi.org/10.53022/oarjbp.2024.10.2.0015>

31 Piwowarczyk E, MacPhee M, Howe J. Nurses' role in obesity management in adults in primary healthcare settings worldwide: a scoping review. *Healthcare.* 2024 Aug 26;12(17):1700.

<https://doi.org/10.3390/healthcare12171700>

32 Lamberti-Castronuovo A, Lamine H, Valente M, Hubloue I, Barone-Adesi F, Ragazzoni L. Assessing primary healthcare disaster preparedness: a study in Northern Italy. *Prim Health Care Res Dev.* 2024 Jan 1;25.

<https://doi.org/10.1017/s1463423624000124>

33 Wakida EK, Okello ES, Rukundo GZ, Akena D, Alele PE, Talib ZM, et al. Health system constraints in integrating mental health services into primary healthcare in rural Uganda: perspectives of primary care providers. *Int J Ment Health Syst.* 2019 Mar 22;13(1). <https://doi.org/10.1186/s13033-019-0272-0>

34 Shidhaye R, Baron E, Murhar V, Rathod S, Khan A, Singh A, et al. Community, facility and individual level impact of integrating mental health screening and treatment into the primary healthcare system in Sehore district, Madhya Pradesh, India. *BMJ Glob Health.* 2019 May 1;4(3):e001344.

<https://doi.org/10.1136/bmjgh-2018-001344>

35 Omotayo MO, Dickin KL, Pelletier DL, Martin SL, Kung'u JK, Stoltzfus RJ. Feasibility of integrating calcium and iron-folate supplementation to prevent preeclampsia and anemia in pregnancy in primary healthcare facilities in Kenya. *Matern Child Nutr.* 2018 Feb;14(S1).

<https://doi.org/10.1111/mcn.12437>

36 Lowther-Payne HJ, Ushakova A, Beckwith A, Liberty C, Edge R, Lobban F. Understanding inequalities in access to adult mental health services in the UK: a systematic mapping review. *BMC Health Serv Res.* 2023 Sep 29;23(1).

<https://doi.org/10.1186/s12913-023-10030-8>